

International Journal of Computer Science and Mobile Computing

A Monthly Journal of Computer Science and Information Technology

ISSN 2320-088X

IMPACT FACTOR: 6.017



IJCSMC, Vol. 5, Issue. 12, December 2016, pg.124 – 129

A NOVEL LOSSLESS IMAGE COMPRESSION TECHNIQUE OVER MONOCHROME STEREO IMAGES

D. SHARMILA

M.Tech Student, Department of Computer Science and Engineering, Visakha Institute of Engineering and Technology, Narava

P.CHAITANYA VANDAVASU, M.Tech(Ph.D)

Assistant Professor, Department of Computer Science and Engineering, Visakha Institute of Engineering and Technology, Narava

ABSTRACT: *Constrict of a picture is dependably a fascinating examination issue in the field of picture handling. Parallel picture Constrict is a decent answer for enhance picture Constrict rate. In this paper we propose a protected and parallel picture Constrict strategy over pictures with Discrete Cosine Transform. At first picture can be sectioned and performs parallel picture Constrict .Our proposed show gives more effective outcomes than conventional methodologies.*

I. INTRODUCTION

Stereoscopy is called any strategy which is fit for making the hallucination of a three-dimensional image. In picture diagrams or motion pictures the deception of profundity is made by displaying an alternate picture to each eye. The human eyes are near each other (approximately 5cm). Along these lines each saw question has a somewhat extraordinary review point in every eye. On the off chance that two fake made pictures have a similar point distinction called the deviation, and every eye sees just the comparing picture, an enhancement is made. A picture is an optical representation of the question by radiation source. Stereoscopic pictures are essentially connected in advanced film, and medicinal surgeries. What's more, it has been utilizing for a considerable length of time for some applications. In numerous applications, for example, TV and gaming applications and stereoscopic showing is additionally accessible. This is the procedure of two pictures in various positions, for example, human cerebrum melds the two pictures to make a picture as stereoscopic pictures. In stereoscopic pictures, the way toward making is left and right pictures are successively shown as clock insightful and hostile to clock astute. Picture handling is a technique for flag preparing. Its yield is identified with pictures and contribution as picture parameters. Its primary point is bit constrict which builds the picture quality. The versatility of the pictures alludes to a quality lessening and that is accomplished by bit stream as it were.

A moment target is to propose a clear method for measuring the crosstalk bit and end extent that relies on upon seeing test outlines on the application without the necessity for electronic or optical instruments. Our trust is that this instrument can be

scattered extensively and will incite the social event of solid information around stereoscopic presentations, and along these lines, to the production of the best stereoscopic showcases. Three-dimensional space (furthermore: 3-space or, every so often, tri-dimensional space) is a geometric setting in which three qualities (called parameters) are required to choose the position of a segment (i.e., point). This is the principle significance of the term estimation. In physical science and number-crunching, a game plan of n numbers can be understood as a region in n -dimensional space. Exactly when $n = 3$, the course of action of each such range is called three-dimensional Euclidean space. It is typically addressed by the picture. In addition, for this circumstance, these three qualities can be set apart by any mix of three investigated the terms width, stature, significance, and breadth.

The above idea is for the most part used to get ready stereoscopic pictures. Stereoscopic design are consistently insinuated as stereoscopic models. Beside the rendered practical, the model is contained inside the graphical data record. In any case, there are differentiations: a stereoscopic model is the numerical representation of any three-dimensional thing. A model is not in truth a sensible until it is appeared. A model can be demonstrated ostensibly as a two-dimensional picture through a methodology called stereoscopic rendering or used as a piece of non-graphical propagations and calculations. With stereoscopic printing, models are additionally rendered into a physical representation of the model, with imperatives to how correct the rendering can organize the virtual model.

II. RELATED WORK

Despite the fact that different customary methodologies proposed by the different creators from years of research, each approach of constrict procedures have their own particular disadvantages and focal points. constrict rate and time many-sided quality or time taken to constrict a picture is vital components while constrict of picture.

Disadvantages:

- Traditional compression of image rate time complexity is more
- No parallel compression mechanism
- Not an optimal transmission with cover images.

There are numerous methods for constrict of pictures. Picture constrict may be lossy or lossless. Lossless constrict is favored for archived purposes and every now and again for restorative imaging, particular drawings, cut workmanship, or funnies. Lossy constrict strategies, especially when used at low piece rates, introduce constrict old rarities. Lossy procedures are especially sensible for consistent pictures, for instance, pictures in applications where minor (once in a while unclear) loss of steadiness is satisfactory to achieve a noteworthy reducing in bit rate. The lossy constrict that producible differences may be called apparently lossless. This serves as a three-parameter model of the physical universe (that is, the spatial part, without considering time) in which all known matter exists. Regardless, this space is one and just instance of an endless arrangement of spaces in three estimations called 3-manifolds. In this set up outline, when the three qualities suggest estimations in different headings (orchestrates), any three course can be picked, given that vectors in these direction don't all lie in a similar 2-space (plane).

This requires some practice, however after this; anyone should have the ability to view stereo pictures. The thinking is that the match of pictures should be detached by around an indistinguishable division from that of your two eyes. By then, you have to look to boundlessness, while satisfying your eyes on the close-by join of pictures. The settlement you will do actually, however this is an unpredictable state of your eyes (generally speaking when your eyes focus to boundlessness, they furthermore suit to perpetuation). Centering to interminability while obliging to an adjacent picture is the thing that you need to rehearse. Do this by recognizing two protests in both pictures which are the same. At that point step by step unwind your core interest. Try not to continue concentrating on the pictures. You will see that the two items which you were taking a gander at, appear to combine. They ought to converge over each other, and not have a top/base asymmetry (if there is, tilt your head until they are on a similar line). When they blend, keep your concentration, attempt to take a gander at something in the picture which you know is nearly at vastness, hold up a few moments, and the full 3D picture will come into view. In the event that you can't get the 3D-picture, attempt the technique while sitting nearer to or promote far from the picture.

III. PROPOSED WORK

We are proposing a productive and parallel picture constrict system, it at first separated into square and apply the constrict instrument parallel and consolidate after constrict component. Information can be insert into the cover picture safely at all noteworthy bits, before information implanting ,information can be encoded with cryptographic model and at recipient end it can be fragmented again and decompress and unravel the information from cover picture.

Advantages:

- Parallel compression mechanism improves the performance
- Time complexity to compress is less
- Secure transmission of data with cover image is optimal

Data Embedding:

Least Significant Bit substitution is the strategy for preparing the Least Significant Bit bit pixels of the bearer picture. It is a straightforward technique for installing message and the picture. The Least Significant Bit inclusion differs as indicated by number of bits in a picture. For a 8 bit picture, the slightest huge piece i.e., the 8th bit of every byte of the picture is changed with the bit of figure content. For a 24 bit picture, the shades of every segment like RGB (red, green and blue) are changed. Least Significant Bit is successful in utilizing BMP pictures since the constrict in BMP is lossless.

Image Compression:

We constrict the picture with parallel discrete cosine change, it enhances the constrict rate and lessens the time multifaceted nature to pack and decompress the picture.

1. Take an image and divide it up into 8-pixel by 8-pixel blocks parallel from both ends. If the image cannot be divided into 8-by-8 blocks, then you can add in empty pixels around the edges, essentially zero-padding the image.
2. For each 8-by-8 block, get image data such that you have values to represent the color at each pixel.
3. Take the Discrete Cosine Transform (DCT) of each 8-by-8 block.
4. After taking the DCT of a block, matrix multiply the block by a mask that will zero out certain values from the DCT matrix.
5. Finally, to get the data for the compressed image, take the inverse DCT of each block. All these blocks are combined back into an image of the same size as the original.

Key Generation:

Diffie-Hellman is the a standout amongst the most effective key trade calculation is utilized where clients are expecting information secrecy and security amid the transmission of the information .In this convention of illustration we are thinking about two clients Alice and Bob.

- Initially they are agree on two public prime numbers p and g from the both ends. Gis also known as the generator
- Alice selects a secret integer ‘a’ and calculates and calculates
 $x = g_a \text{ mod } p$ and forwards the x to Bob
- Similarly Bob selects a secret integer ‘b’ and calculates
 $y = g_b \text{ mod } p$ and forwards the y to Alice
- Now alice calculates the below with the received Y from Bob to achieve final session key
 $Y_a \text{ mod } p$
- Bob calculates the below with the received X to achieve final session key at Bod end
 $X_b \text{ mod } q$

Steganography and Cryptography are firmly related develops. The covered up or inserted picture, sound or a video documents go about as bearers to send the private messages to the goal with no security break. Steganography methods can be actualized on different document organizations, for example, sound („.mp3“, „.wmv.“, and so on.), video („.mpeg“, „.dat“, and so forth.) and pictures („.jpeg“, „.bmp“, and so on.). Notwithstanding, the pictures are the most favored document organize for this strategy. At present, there are a considerable measure of calculations that assistance in executing the steganography programming.

Encoding and Decoding:

Triple DES is the common name for the Triple Data Encryption Algorithm (TDEA) block cipher. It is so named because it applies the Data Encryption Standard (DES) cipher algorithm three times to

The standards define three keying options:

- Keying option 1: All three keys are independent.
- Keying option 2: K1 and K2 are independent, and K3 = K1.
- Keying option 3: All three keys are identical, i.e. K1 = K2 = K3.

Keying option 1 is the strongest, with $3 \times 56 = 168$ independent key bits. Keying option 2 provides less security, with $2 \times 56 = 112$ key bits. This option is stronger than simply DES encrypting twice, e.g. with K1 and K2, because it protects against meet-in-the-middle attacks. Keying option 3 is no better than DES, with only 56 key bits. This option provides backward compatibility with DES, because the first and second DES operations simply cancel out. It is no longer recommended by the National Institute of Standards and Technology (NIST) and not supported by ISO/IEC 18033-3.

V. RESULTS

Below are the obtained results




Fig.1: Key Generation




Fig.2: Retrieve the Data Hidden Image



Fig.3 :Getting Data and Text From the Image

VI. CONCLUSION

We have been finishing up our flow look into work with proficient and parallel picture handling method and secure information encoding and key era component. Picture constrict can be effectively with DCT and key can e produced with Diffie Hellman key trade convention and information can be safely transmitted through Triple DES cryptographic calculation.

REFERENCES

- [1] Lippmann G (1908) Epreuves reversibles. Photographies intégrales. Comptes-Rendus de l'Académie des Sciences 146(9):446–451
- [2] McCormick M, Davies N, Chowanietz EG (1992) Restricted parallax images for 3D TV. IEE colloquium on 'stereoscopic television': Digest No 1992/173:3/1–3/4
- [3] Arai J, Kawai H, Okano F (2006) Microlens arrays for integral imaging system. Appl Opt 45(36):9066–9078CrossRef
- [4] Kanolt CW (1918) US Patent 1260682
- [5] Brown D (2009) Images across space. Middlesex University Press, London
- [6] Baird JL (1945) Improvements in television. UK Patent 573,008. Applied for 26 Aug 1943 to 9 Feb 1944, Accepted 1 Nov 1945
- [7] Funk (2008) Stereoptiplier cinema system—outside-looking in. Veritas et Visus
- [8] Bordwell D, Thompson K (2010) Film history: an introduction, 3rd edn. McGraw-Hill, New York. ISBN 978-0-07-338613-3
- [9] Collender R (1986) 3D television, movies and computer graphics without glasses. IEEE Trans Cons Electro CE-32(1):56–61CrossRef
- [10] Tilton HB (1987) The 3D oscilloscope—a practical manual and guide. Prentice Hall Inc., New Jersey
- [11] 3D Display Technology Chart (2012) <http://www.3dathome.org/>. Accessed 24 Jan 2012
- [12] Woods AJ, Yuen KL, Karvinen KS (2007) Characterizing crosstalk in anaglyphic stereoscopic images on LCD monitors and plasma displays. J SID 15(11):889–898
- [13] Traub AC (1967) Stereoscopic display using rapid varifocal mirror oscillations. Appl Opt 6(6):1085–1087MathSciNetCrossRef
- [14] Dolgoff G (1997) Real-depth™ imaging: a new imaging technology with inexpensive direct-view (no glasses) video and other applications. SPIE Proc Stereosc Disp Virtual Real Syst IV 3012:282–288
- [15] Sullivan A (2004) DepthCube solid-state 3D volumetric display. Proc SPIE 5291(1). ISSN:0277786X:279–284. doi:10.1117/12.527543
- [16] Blundell BG, Schwartz AJ (2000) Volumetric three-dimensional display systems. Wiley-IEEE Press, New York. ISBN 0-471-23928-3
- [17] Okui M, Arai J, Okano F (2007) New integral imaging technique uses projector. doi:10.1117/2.1200707.0620. <http://spie.org/x15277.xml?ArticleID=x15277>. Accessed 28 Jan 2012
- [18] Hitachi (2010) Hitachi shows 10" glasses-free 3D display. Article published in 3D-display-info website: www.3d-display-info.com/hitachi-shows-10-glasses-free-3d-display. Accessed 24 Jan 2012
- [19] Travis ARL, Lang SR (1991) The design and evaluation of a CRT-based autostereoscopic display. Proc SID 32/4:279–283
- [20] Dodgson N (2011) Multi-view autostereoscopic 3D display. Presentation given at the Stanford workshop on 3D imaging. 27 Jan 2011. <http://scien.stanford.edu/pages/conferences/3D%20Imaging/presentations/Dodgson%20-%20%20Stanford%20Workshop%20on%203D%20Imaging.pdf>.

Accessed 29 Jan 2012

- [21] Berkel C, Parker DW, Franklin AR (1996) Multiview 3D-LCD. SPIE Proc Stereosc Disp Virtual Real Syst IV 2653:32–39
- [22] Schwartz A (1985) Head tracking stereoscopic display. In: Proceedings of IEEE international display research conference, pp 141–144
- [23] Woodgate GJ, Ezra D, Harrold J, Holliman NS, Jones GR, Moseley RR (1997) Observer tracking autostereoscopic 3D display systems. SPIE Proc Stereosc Disp Virtual Real Syst IV 3012:187–198
- [24] A Methodology for Visually Lossless JPEG2000 Compression of Monochrome Stereo Images