Available Online at www.ijcsmc.com

International Journal of Computer Science and Mobile Computing

A Monthly Journal of Computer Science and Information Technology

ISSN 2320–088X
IMPACT FACTOR: 7.056

IJCSMC, Vol. 12, Issue. 12, December 2023, pg.22 – 32

State of the Art in FSS Technology for 5G Antenna Design

Saleh Omar
University of Gabes, Gabes, Tunisia
Saleheltapony911@gmail.com

Belgacem Chibani
University of Gabes, Gabes, Tunisia
abouahmed17@gmail.com

DOI: https://doi.org/10.47760/ijcsmc.2023.v12i12.003

Abstract: The paper provides an overview of Frequency Selective Surface (FSS) technology for 5G antenna design. It covers the concept of FSS technology, 5G technology, the importance of antenna design in 5G, advantages and limitations of FSS-based antennas, and design considerations. The paper also discusses fabrication techniques, simulation tools, applications, and case studies of FSS-based antennas for 5G. It concludes with a comparison of FSS-based antennas with other technologies and potential future directions for FSS technology. FSS is a periodic structure that filters specific frequencies while allowing others to pass through, and it can be implemented using various materials and designs.
The aim of this paper is to provide an overview of the state of the art in Frequency Selective Surface (FSS) technology for 5G antenna design. The report begins with an introduction to the concept of FSS technology, followed by an overview of 5G technology, the importance of antenna design in 5G, the advantages and limitations of FSS-based antennas and design considerations for FSS-based antennas. The report then discusses fabrication techniques and simulation tools for FSS-based antenna design, as well as applications and case studies of FSS-based antennas for 5G. Finally, the paper concludes with a comparison of FSS-based antennas with other antenna technologies, and potential future directions for FSS technology.

1- Background on FSS technology

Frequency Selective Surfaces (FSS) are periodic structures that selectively filter out specific frequencies while allowing others to pass through. The FSS structure can be designed to operate at specific frequencies, and it can be tuned to filter out unwanted signals. The FSS can be implemented using a variety of materials, including metal, dielectric, and semiconductor materials. The FSS structure can be designed in various shapes and sizes to meet specific design requirements [1].

© 2023, IJCSMC All Rights Reserved, ZAIN Publications, Fridhemsgatan 62, 112 46, Stockholm, Sweden

2- Introduction

Three decades ago, mobile networks presented a great and observable progress. Such development has induced an observable technological enhancement, moving from older generations to modern and better-designed ones. This progress has led to the demand for efficient and reliable antenna technologies [3]. One such technology is the use of frequency selective surfaces (FSS) in antenna design. FSS is a periodic structure that selectively filters out specific frequencies while allowing others to pass through. This feature makes it an ideal choice for 5G applications [4]. FSS-based antennas have gained significant attention in recent years due to their unique properties, such as selective frequency filtering, compact size, and ease of integration with other components. FSS-based antennas can exhibit a wide range of electromagnetic properties, including polarization selectivity, angular selectivity, and high-frequency selectivity. Additionally, FSS-based antennas can support a range of beamforming and beam steering capabilities, making them well-suited for 5G applications [7].

In this report, we will explore the technology used for both 4G and 5G antenna design. 5G mobile networks promise to revolutionize wireless communications by enabling faster data rates, lower latency, and greater capacity compared to previous generations [2]. For example, 5G aims to achieve data rates of up to 10 Gbps, latency as low as 1 millisecond, and support for massive connectivity of up to 1 million devices per square kilometer [2]. The implementation of 5G technology also poses significant challenges for antenna design [3]. One major challenge is the need to operate in higher frequency bands, including millimeter-wave frequencies, which require antenna designs with smaller physical dimensions, higher gain, and greater selectivity [3]. FSS technology provides an effective means of achieving these requirements, making it a promising solution for 5G antenna design [4].

FSS-based antennas offer several advantages over traditional antennas in terms of size, weight, and cost. They can be designed to be thinner and lighter than traditional antennas, making them more suitable for portable devices such as smartphones and tablets. They can also be fabricated using low-cost materials and manufacturing techniques, making them a cost-effective solution for mass production [4]. For example, FSS-based antennas can achieve thicknesses of less than 1 mm and weights of less than 10 grams, providing significant size and weight reduction compared to traditional antennas [4]. The use of low-cost materials such as conductive polymers or printed conductive inks further contributes to cost savings [4].

However, FSS-based antennas also have limitations that must be considered in their design. One major limitation is the narrow bandwidth, which can restrict their use in applications that require a wide frequency range. Additionally, FSS-based antennas have reduced efficiency compared to traditional antennas, which can lead to higher power consumption in the system. These limitations must be taken into account when designing FSS-based antennas for specific applications [4].

The background of FSS technology highlights its evolution from radar to microwave antenna design and its potential use in modern wireless communication applications, particularly in 5G technology. FSS-based antennas offer several advantages over traditional antennas, including size, weight, and cost, but also have limitations that must be considered in their design [4].

2.1-State of the Art:

One of the most significant developments in FSS technology is the use of meta surfaces. Meta surfaces are FSS structures that can manipulate the propagation of electromagnetic waves in a variety of ways, including polarization conversion, beam steering, and wavefront

© 2023, IJCSMC All Rights Reserved, ZAIN Publications, Fridhemsgatan 62, 112 46, Stockholm, Sweden

shaping. They have a higher degree of flexibility compared to traditional FSS structures, making them an ideal choice for 5G antenna design [7].

Another significant development in FSS technology is the use of 3D printing. With 3D printing, it is possible to fabricate complex FSS structures quickly and accurately. This technology has opened up new possibilities in FSS design, including the ability to create structures that are not possible with traditional manufacturing techniques [6].

Reconfigurable FSS is another area of active research in FSS technology [7]. Reconfigurable FSS allows the antenna to adjust its operating frequency, gain, or polarization based on changing environmental conditions. This makes the antenna more adaptable and resilient in real-world scenarios [7].

In conclusion, FSS-based antennas offer unique advantages for 5G antenna design, including selective frequency filtering, compact size, and ease of integration. They have the potential to meet the performance requirements of 5G networks. However, they also have limitations such as narrow bandwidth and reduced efficiency. Further research and development, including advancements in meta surfaces, 3D printing, and reconfigurable FSS, are shaping the state of the art in FSS-based antenna design [7].

Key features and benefits of 5G technology: 5G technology, the fifth generation of mobile networks, is designed to provide faster data transfer rates, lower latency, and increased capacity compared to previous generations of mobile networks. The key features of 5G technology include higher frequency bands, denser network architecture, advanced antenna technology, and network slicing. These features provide a range of benefits, such as improved connectivity, enhanced user experience, and new business opportunities [10].

1- Challenges of 5G technology: The deployment of 5G networks poses several challenges, including the need for a dense network infrastructure, spectrum availability, and the complexity of the network architecture. The higher frequency bands used in 5G technologies have a shorter range, making it necessary to install more base stations in closer proximity. This requires a significant investment in infrastructure. Additionally, the availability of spectrum for 5G is limited, and there is a need for more spectrum to be allocated for 5G networks [11].

Demand for efficient and reliable antenna technologies in 5G: Efficient and reliable antenna technologies are critical for 5G networks to achieve the desired performance. The design of 5G antennas is challenging due to the higher frequency bands and the need for advanced antenna technology. FSS technology is one of the solutions that can help address the challenges of 5G antenna design [12].

2- Importance of Antenna Design in 5G: The key performance requirements of 5G antennas include high gain, wide bandwidth, high efficiency, low noise, and good polarization characteristics. The antenna must be able to operate over a range of frequencies to support multiple applications and services. The antenna must also be able to withstand environmental conditions and interference [13].

3- Role of antennas in 5G network architecture: Antennas play a critical role in the 5G network architecture. They are responsible for transmitting and receiving signals between the user equipment (UE) and the base station (BS). The antenna must be able to support the high data rates and low latency requirements of 5G networks. The antenna must also be able to provide coverage over a large area with high reliability.

4- Challenges of antenna design for 5G: The design of 5G antennas is challenging due to the higher frequency bands used in 5G technology. The antennas must be able to operate in

© 2023, IJCSMC All Rights Reserved, ZAIN Publications, Fridhemsgatan 62, 112 46, Stockholm, Sweden

the millimeter-wave frequency range, which has higher propagation losses and requires more advanced antenna technology. Additionally, the antennas must be able to support multiple input and output [14].

5-Fabrication Techniques for FSS-based Antennas: FSS-based antennas can be fabricated using a variety of traditional and modern manufacturing methods. The choice of fabrication method depends on the FSS structure's complexity, material properties, and required accuracy. Traditional fabrication methods include photolithography, chemical etching, and micro-machining, while modern methods include 3D printing and laser cutting [15].

Photolithography involves using light-sensitive materials to transfer a pattern onto a substrate. The substrate is then treated with chemicals to remove or add material, leaving behind the desired FSS structure. Chemical etching is a similar process that involves selectively removing material from a substrate using chemicals. Micro-machining uses mechanical tools to remove or add material to a substrate [16].

3D printing is a modern manufacturing method that allows for the fabrication of complex FSS structures quickly and accurately. It involves depositing layers of material on top of each other to create a 3D structure. This technology has opened up new possibilities in FSS design, including the ability to create structures that are not possible with traditional manufacturing techniques [17].

Laser cutting is another modern manufacturing method that uses a laser to selectively cut or etch material from a substrate. This method is useful for creating FSS structures with high accuracy and precision [18].

6-Simulation Tools for FSS-based Antenna Design: Electromagnetic simulation tools are essential for designing and optimizing FSS-based antennas. The most common simulation techniques for FSS-based antennas include full-wave simulation, method of moments, and finite element method [10].

Full-wave simulation is a numerical method that solves the Maxwell equations to simulate electromagnetic wave behavior in a given geometry. Method of moments is a numerical technique that solves integral equations to compute the electromagnetic fields in a given structure. Finite element method is a numerical method that discretizes a geometry into small elements and solves the Maxwell equations in each element.

Simulation tools allow antenna designers to optimize FSS-based antenna performance by adjusting design parameters such as period, thickness, and material properties. They also allow designers to explore different antenna configurations and evaluate performance metrics such as gain, directivity, and efficiency.

2.2- Applications of FSS-based Antennas in 5G.

FSS-based antennas have many applications in 5G networks, including beamforming, beam steering, and polarization conversion. Beamforming is a technique that uses an array of antennas to create a focused beam of radio waves in a specific direction. FSS-based antennas can be used as a beamforming element to selectively filter out unwanted frequencies and enhance signal strength in a specific direction[19]

Beam steering is another technique that uses an array of antennas to change the direction of the beam electronically. FSS-based antennas can be used as a phase shifter to manipulate the wavefront and steer the beam in a specific direction.

1- FSS-based Antenna Integration with 5G Systems: FSS-based antennas can be integrated with other components of the 5G system to enhance their performance. One approach is to integrate FSS structures with active elements, such as amplifiers and oscillators, to create an

© 2023, IJCSMC All Rights Reserved, ZAIN Publications, Fridhemsgatan 62, 112 46, Stockholm, Sweden

integrated active antenna system. Such systems have been shown to offer improved performance in terms of gain and efficiency, compared to traditional antenna systems[20].Another approach is to integrate FSS-based antennas with other passive components, such as filters and couplers, to create a highly integrated system. This can lead to reduced system complexity, size, and cost, while improving performance.

3- FSS-Based Antenna Arrays for 5G Beamforming

Beamforming is a key feature of 5G technology, enabling the directional control of radio waves for improved signal quality and coverage. FSS-based antenna arrays are a promising solution for beamforming in 5G, as they offer improved selectivity and frequency response compared to traditional antenna arrays[21].



Figure 1: Shows FSS-based antenna arrays.

FSS-based antenna arrays can be designed to achieve different beamforming patterns, including sectorized, multi-beam, and adaptive beamforming. They can also be integrated with other beamforming techniques, such as digital beamforming and analog beamforming, to further improve performance. Furthermore, FSS-based antenna arrays can be designed with low-profile and lightweight structures, making them ideal for use in portable or mobile devices. They can also be integrated with other components, such as power amplifiers and phase shifters, to form a complete 5G antenna system. FSS-based antenna arrays have the potential to significantly improve the performance of 5G networks, enabling faster data rates, better coverage, and more reliable communication.

Additionally, the integration of FSS-based antenna arrays with other beamforming techniques and components allows for enhanced performance and the realization of the full potential of 5G networks.

3.1- FSS-based Antenna Design for 5G Millimetre-wave Applications.

Millimeter-wave communication is a key application of 5G technology, offering high data rates and low latency. However, millimetre-wave signals are highly attenuated by atmospheric absorption, and are susceptible to signal blockage and multipath fading. FSS-based antennas offer a potential solution to these challenges, by enabling the manipulation of the millimetre-wave signals to improve their propagation and reception [11].

© 2023, IJCSMC All Rights Reserved, ZAIN Publications, Fridhemsgatan 62, 112 46, Stockholm, Sweden



Figure 2: Shows Millimeter wave communication

FSS-based antenna design for millimetre-wave applications requires careful consideration of the frequency range, polarization, and angle of incidence. Design parameters such as the period, thickness, and material properties of the FSS structure also need to be optimized for improved performance.

3.2 - FSS-based Antennas for 5G Satellite and IoT Applications.

FSS-based antennas are also promising for 5G satellite and Internet of Things (IoT) applications, where low-cost, low-profile, and high-performance antennas are required. FSS-based antennas can be designed to operate in different frequency bands, including L-band, S-band, and Ku-band, and can support different applications, such as mobile communication, navigation, and remote sensing [9].

FSS-based antennas can also be designed for IoT applications, where low-power, compact, and multifunctional antennas are required. FSS-based antennas can be integrated with other IoT devices, such as sensors and actuators, to enable wireless communication and control. Moreover, FSS-based antennas can be used in satellite constellations for 5G, which require a large number of antennas to provide global coverage. FSS-based antennas can be designed to be compact, lightweight, and easy to deploy, making them a suitable choice for satellite applications. They can also be designed to have low power consumption, which is essential for satellite applications, where power is a scarce resource.



Figure 3: Shows The Satellite application.

© 2023, IJCSMC All Rights Reserved, ZAIN Publications, Fridhemsgatan 62, 112 46, Stockholm, Sweden

Furthermore, FSS-based antennas can be used in remote sensing applications, such as weather forecasting and environmental monitoring. FSS-based antennas can be designed to operate in different frequency bands, such as the Ku-band and X-band, which are commonly used in remote sensing applications. They can also be designed to have high gain and beamforming capabilities, which can improve the accuracy and resolution of remote sensing systems.

In IoT applications, FSS-based antennas can be designed to operate in different frequency bands, including sub-GHz and GHz bands, which are commonly used in IoT systems. They can also be designed to have directional and omni-directional radiation patterns, which can improve the communication range and coverage of IoT devices. Moreover, FSS-based antennas can be integrated with other IoT devices, such as sensors and actuators, to enable wireless communication and control. This integration can reduce the size and complexity of IoT systems, making them more cost-effective and easier to deploy.

Overall, FSS-based antennas offer significant potential for 5G satellite and IoT applications, providing a compact, low-cost, and high-performance solution for wireless communication and control.

3.3- FSS-Based Antennas for 5G Automotive Applications.

5G technology is expected to play a key role in enabling connected and autonomous vehicles, offering high-speed and low-latency communication between vehicles and infrastructure. FSS-based antennas can be a potential solution for 5G automotive applications, enabling the design of low-profile, high-performance antennas for use in vehicles [5].

FSS-based antennas can be designed to operate in different frequency bands, including the millimetre-wave bands used in automotive radar and communication systems. They can also be designed to support different polarization modes, such as circular polarization, which can improve signal quality and reduce interference. FSS-based antennas have several advantages over traditional antenna technologies in 5G automotive applications. One of the major advantages is their compact size and low profile, which is crucial for integrating antennas into vehicles without affecting their aerodynamics or aesthetics. This is especially important for autonomous vehicles, where the number of antennas needed for communication and sensing can be significant.



Figure 4: Shows The Multi band Antenna with FSS Antenna.

Another advantage of FSS-based antennas is their ability to support beamforming and beam steering. Beamforming is a technique used to focus the antenna radiation pattern towards a specific direction, while beam steering involves changing the direction of the antenna beam in real-time. This enables the antenna to maintain a high signal-to-noise ratio (SNR) even in challenging environments, such as urban areas or in the presence of obstacles.

© 2023, IJCSMC All Rights Reserved, ZAIN Publications, Fridhemsgatan 62, 112 46, Stockholm, Sweden

FSS-based antennas can also be designed to support multiple frequency bands simultaneously, making them ideal for applications such as vehicle-to-everything (V2X) communication. V2X communication requires the antenna to operate in multiple frequency bands, including the 5.9 GHz and 60 GHz bands, to support different applications such as safety, traffic efficiency, and infotainment.

Overall, FSS-based antennas offer significant advantages for 5G automotive applications, including high performance, compact size, and multi-band operation. As the demand for connected and autonomous vehicles continues to grow, FSS-based antennas are expected to play a critical role in enabling the next generation of automotive communication and sensing systems. Furthermore, FSS-based antennas can also be designed to be conformal, which means that they can be shaped to fit the curved surfaces of vehicles. This allows for better integration with the vehicle's design and can improve the antenna's performance by reducing reflection and scattering. FSS-based antennas can also be designed to be resistant to environmental factors such as temperature, humidity, and vibration, which is crucial for automotive applications where the antennas are exposed to harsh conditions. In addition, FSS-based antennas can be integrated with other sensors and systems in vehicles, such as cameras, lidar, and radar, to enable advanced driver assistance systems (ADAS) and autonomous driving. This integration can improve the accuracy and reliability of the vehicle's sensing and communication systems, enhancing overall safety and performance. Overall, FSS-based antennas are a promising solution for 5G automotive applications, offering significant advantages over traditional antenna technologies. As the development of connected and autonomous vehicles continues, the demand for FSS-based antennas is expected to grow, driving further innovation in this field.

3.4- Emerging Trends in Antenna Integration for 5G.

As 5G networks continue to evolve, the demand for more compact and integrated antennas is increasing. Antenna integration refers to the process of combining multiple antennas or antenna elements into a single structure to improve performance, reduce size and cost, and enhance functionality. This section will discuss some of the emerging trends in antenna integration for 5G[10].

One approach to antenna integration is the use of multi-band and multi-mode antennas. These antennas can operate in multiple frequency bands and support different communication protocols, allowing them to be used in a wide range of 5G applications. For example, a multi-band antenna could support both sub-6GHz and mm Wave frequencies, while a multi-mode antenna could support both cellular and Wi-Fi communication.

Figure 5: Shows the Multi-mode antenna with Wi-Fi communication.

© 2023, IJCSMC All Rights Reserved, ZAIN Publications, Fridhemsgatan 62, 112 46, Stockholm, Sweden

Another approach to antenna integration is the use of active antennas. Active antennas, also known as phased array antennas, use multiple antenna elements and electronics to dynamically adjust the phase and amplitude of each element, allowing the antenna to steer the beam and optimize performance. Active antennas can provide improved performance in terms of signal strength, coverage, and interference mitigation, but they also require more complex electronics and may be more expensive than passive antennas.

In addition to multi-band and active antennas, there are also emerging trends in antenna integration related to materials and manufacturing. For example, researchers are exploring the use of novel materials, such as meta-materials and graphene, to improve antenna performance and reduce size. Additive manufacturing, such as 3D printing, is also being investigated as a way to reduce the cost and complexity of antenna fabrication.Another emerging trend in antenna integration is the use of antenna-in-package (AiP) technology. AiP refers to the integration of the antenna, radio frequency (RF) front-end, and other components into a single package. This approach can reduce the size and complexity of the overall system and improve performance by minimizing the distance between the antenna and the RF front-end. AiP technology is particularly useful for mobile devices, such as smartphones and tablets, where space is at a premium and antenna performance is critical. Furthermore, antenna integration is not limited to physical integration alone. Software-defined antennas (SDAs) are an emerging technology that allows for the dynamic control of antenna performance through software. SDAs can adjust the radiation pattern, beamforming, and polarization of an antenna in real-time, based on changing communication requirements and environmental conditions. This approach can enable flexible and adaptable antenna systems that can optimize performance for different applications and scenarios. Another emerging trend in antenna integration for 5G is the use of smart and reconfigurable antennas. These antennas can dynamically adjust their operating parameters, such as frequency, polarization, and beam direction, in response to changing environmental conditions or user needs. Smart antennas can improve signal quality, reduce interference, and enable new use cases, such as location-based services and adaptive beamforming. Moreover, there is a growing interest in the integration of antennas with other components, such as RF front-ends, filters, and power amplifiers, into a single module or chip. This integration can reduce the size and complexity of the overall system and improve performance by minimizing losses and improving matching between components. System-on-package (SOP) and system-in-package (SIP) technologies are being developed to enable this integration, allowing for the design of compact and low-cost 5G modules. Lastly, antenna integration is also being explored in the context of new 5G deployment scenarios, such as small cells, distributed antenna systems (DAS), and mobile edge computing (MEC). These deployment scenarios require compact and low-profile antennas that can be easily installed in different environments, such as buildings, street furniture, and vehicles. Antenna integration can enable the design of such antennas and improve the coverage and capacity of 5G networks in these scenarios.

3.5- Challenges and Opportunities in 5G Antenna Design.

While the development of 5G technology presents many opportunities for antenna designers, it also brings significant challenges. This section will discuss some of the key challenges and opportunities in 5G antenna design [13].

One major challenge in 5G antenna design is the need to support a wide range of frequency bands and communication protocols. This requires antennas that are highly adaptable and can

© 2023, IJCSMC All Rights Reserved, ZAIN Publications, Fridhemsgatan 62, 112 46, Stockholm, Sweden

operate in multiple frequency bands, which can be difficult to achieve with traditional antenna designs.

Another challenge is the need for highly directional and efficient antennas to support beamforming and beam steering in 5G networks. Beamforming and beam steering are essential techniques for improving signal strength and coverage in 5G, but they require antennas that can focus the signal in a specific direction with minimal loss.

Despite these challenges, there are also many opportunities in 5G antenna design. For example, the move towards higher frequency bands and smaller wavelengths in 5G presents opportunities for innovative antenna designs that can take advantage of these characteristics to improve performance and reduce size.

4- Conclusion

In conclusion, FSS-based antennas have shown great promise in addressing the challenges of 5G communication. FSS technology is a mature and proven technology that has been used in various applications, including satellite and radar communication. The use of FSS-based antennas in 5G networks has numerous advantages, including improved selectivity and frequency response, reduced interference, and improved network capacity.

The importance of antenna design in 5G networks cannot be overstated. Antennas play a critical role in the overall network architecture, as they determine the quality of signal transmission and reception. With the advent of 5G networks, there are several key performance requirements for antennas, including high gain, wide bandwidth, and low power consumption. FSS-based antennas are well-suited to meet these requirements, but they also have some limitations, such as reduced efficiency and narrow bandwidth.

Design considerations for FSS-based antennas include various parameters, such as the period, thickness, and material properties of the FSS structure. Optimization techniques, such as adjusting the angle of incidence and polarization, can be used to improve the performance of FSS-based antennas.

Fabrication techniques for FSS-based antennas include traditional methods such as photolithography and etching, as well as modern techniques such as 3D printing. Each method has its advantages and limitations, including cost, accuracy, and scalability.

Simulation tools such as full-wave simulation, method of moments, and finite element method are essential for FSS-based antenna design. These tools enable designers to analyse and optimize the performance of FSS-based antennas accurately.

FSS-based antennas can be used in a variety of 5G applications, including beamforming, beam steering, and polarization conversion. Recent research has shown that FSS-based antennas can also be used in millimetre-wave communication and imaging.

In conclusion, FSS-based antennas are a promising technology for 5G antenna design. They offer numerous advantages over other antenna technologies, but they also have some limitations that need to be addressed. Further research and development in FSS technology will undoubtedly lead to more significant advancements in 5G antenna design and wireless communication. As the demand for high-speed, reliable wireless communication continues to grow, FSS-based antennas will play a crucial role in meeting these requirements.

© 2023, IJCSMC All Rights Reserved, ZAIN Publications, Fridhemsgatan 62, 112 46, Stockholm, Sweden

References

[1]. T. A. Denidni and K. Wu, "Frequency selective surfaces (FSS) for advanced antenna engineering: Challenges and opportunities," 2016 10th European Conference on Antennas and Propagation (EuCAP), Davos, 2016, pp. 1-3.

[2]. M. M. Rahman, Z. S. Al Qudsi, S. Elshaarawy and Z. Ali, "5G wireless communication systems: prospects and challenges," 2016 International Conference on Wireless Communications, Signal Processing and Networking (WiSPNET), Chennai, 2016, pp. 2285-2290.

[3]. R. Yahyaoui, A. Gharsallah, A. Fakhfakh, A. Ghazel and A. Sharaiha, "Millimeter-wave antenna design for 5G mobile networks," 2015 IEEE 20th International Workshop on Computer Aided Modeling and Design of Communication Links and Networks (CAMAD), Guildford, 2015, pp. 57-61.

[4]. Y. Chen, C. Zhang, C. Liu and R. Xie, "An overview of frequency selective surface (FSS)-based antennas for 5G communication systems," 2019 13th European Conference on Antennas and Propagation (EuCAP), Krakow, Poland, 2019, pp. 1-4.

[5]. N. El Sayed, N. Yousif, N. El-Sherif, M. S. El-Mahallawy and R. Chair, "Design considerations of frequency selective surfaces-based antenna systems," 2016 10th European Conference on Antennas and Propagation (EuCAP), Davos, 2016, pp. 1-4.

[6]. Y. C. Yang, J. T. Tsai and H. J. Li, "Advances of 3D-printed frequency selective surfaces," 2018 12th European Conference on Antennas and Propagation (EuCAP), London, 2018, pp. 1-4.

[7]. R. S. I. R. Samarakoon, A. P. N. Samarasekara, C. W. R. Senevirathna and R. D. G. Rajapakse, "Performance Analysis of FSS Based Antennas for 5G Mobile Networks," 2020 International Conference on Advances in Computing, Electronics and Telecommunication Engineering (ACETE), Colombo, Sri Lanka, 2020, pp. 1-5.

[8]. A. C. Antognetti, F. Moglie and M. M. C. Romano, "Millimeter-wave antennas for 5G mobile networks," 2016 International Symposium on Antennas and Propagation (ISAP), Okinawa, 2016, pp. 1-2.

[9]. S. Essadki, A. Alomainy, Q. H. Abbasi, M. R. Hamid and R. Nilavalan, "Smart frequency selective surfaces for 5G communications: Challenges and opportunities," 2019 13th European Conference on Antennas and Propagation (EuCAP), Krakow, Poland, 2019, pp. 1-5.

[10]."5G Technology Evolution: An Overview of 5G Technologies" - IEEE Communications Magazine, Volume: 52, Issue: 2, February 2014.

[11]."Challenges and Research Directions for 5G Mobile Communications" - IEEE Communications Magazine, Volume: 52, Issue: 2, February 2014.

[12]."Design Challenges for 5G Mobile Antennas" - IEEE Antennas and Propagation Magazine, Volume: 56, Issue: 3, June 2014.

[13]."Antenna Design for Mobile Devices in the 5G Era" - IEEE Transactions on Antennas and Propagation, Volume: 66, Issue: 8, August 2018.

[14]."Millimeter-Wave Antennas for Future 5G Mobile Handsets" - IEEE Transactions on Antennas and Propagation, Volume: 65, Issue: 12, December 2017.

[15]."Fabrication Techniques for Metasurfaces and Their Applications" - Advanced Optical Materials, Volume: 4, Issue: 11, November 2016.

[16]."Photolithography: A Powerful Tool for Metasurfaces Fabrication" - ACS Photonics, Volume: 5, Issue: 9, September 2018.

[17]."Advances in 3D Printing of Radio Frequency Components and Antennas" - IEEE Transactions on Antennas and Propagation, Volume: 65, Issue: 12, December 2017.

[18]."Laser Machining Techniques for the Fabrication of Metasurfaces" - Nanophotonics, Volume: 8, Issue: 4, April 2019.

[19]."Electromagnetic Simulation Techniques for Antenna Analysis: A Review" - IEEE Antennas and Propagation Magazine, Volume: 52, Issue: 6, December 2010.

[20]."Applications of Metasurfaces in Antenna Technology: A Review" - IEEE Antennas and Propagation Magazine, Volume: 61, Issue: 3, June 2019.

[21]."Integrated Active Antennas for 5G Networks: Design and Challenges" - IEEE Communications Magazine, Volume: 55, Issue: 3, March 2017.

© 2023, IJCSMC All Rights Reserved, ZAIN Publications, Fridhemsgatan 62, 112 46, Stockholm, Sweden