



# Node Tracking On Dynamic Social Network Using Greedy Approach

Phapale Pratiksha K.<sup>1</sup>; Neharkar Shweta S.<sup>2</sup>; Gadekar Madhuri K.<sup>3</sup>; Khatri Anand A.<sup>4</sup>

<sup>1</sup>Computer Engineering, Savitribai Phule Pune University, India

<sup>2</sup>Computer Engineering, Savitribai Phule Pune University, India

<sup>3</sup>Computer Engineering, Savitribai Phule Pune University, India

<sup>4</sup>Computer Engineering, Savitribai Phule Pune University, India

<sup>1</sup> [phapalepratiksha8@gmail.com](mailto:phapalepratiksha8@gmail.com); <sup>2</sup> [neharkarshweta19@gmail.com](mailto:neharkarshweta19@gmail.com); <sup>3</sup> [gadekarmadhuri65@gmail.com](mailto:gadekarmadhuri65@gmail.com);

<sup>4</sup> [khatrianand@gmail.com](mailto:khatrianand@gmail.com)

**DOI: 10.47760/ijcsmc.2021.v10i02.012**

---

*Abstract— An interpersonal organization destinations assumes vital part for spreading the data and impact as entire world close by. . There is something fundamental to discover little arrangement of compelling individuals in an interpersonal organization to such an extent that focusing on them at first. It will increase the spread of the impact however the issue is that to finding the most persuasive hubs in organization. There is one Algorithm called as Greedy algorithm used for mining top-K influential nodes. It has two components: dividing the post of social network into several communities by taking into account information diffusion and selecting communities to find influential nodes by a dynamic programming. Using Location Based people group Greedy calculation is utilized to discover the influence node dependent on Location of the client and we can figure out the impact for specific Area. There is one more Serious issue in informal community is that there are such countless pernicious assaults spread by individuals and that vindictive substance are taken cover behind some appealing posts. i.e. viral showcasing strategies in the advancement of new items or posts like how much most fortunate today or what does your name implied or post which expresses the giving you iphone in lesser prize or giving them free examples of the item and so on.*

*Keywords— Social network, Photo privacy, Support vector machine, Collaborative, Security models*

---

## I. INTRODUCTION

Today's Social Networks are turning out to be quick and dynamic stages for sharing post just as it have become globalized market for ad of items. Web-based Media utilized by a huge number of client everywhere on the world. In any case, there are a few posts in interpersonal organization might be hurtful to clients which have the antagonistic aim of taking the individual data client. So we need to ensure the clients structure such sort of Harmful Post just as we need to discover Owner of this post. Viral showcasing strategies in the advancement of new items or posts like how much most fortunate today or what does your name implied or post which expresses the giving you ipad in lesser prize or giving them free examples of the item and so forth such posts in interpersonal organization might be destructive to clients which has the antagonistic goal of taking the individual data client. So the exploits such use history of advertisements for example rating of such posts the framework investigations the that items sway via web-based media clients and predicts the positive or negative classification for that posts which is gainful for future clients on friendly media. In this work system will

develop a game plan of viable request methodology for recognizing whether a post delivered by an outcast application is toxic or not. Distinguishing malignant URLs is presently a basic task in association security knowledge.

## II. RELATED WORK

An interpersonal organization, the chart of connections and associations inside a gathering of people, assumes a basic part as a mechanism for the spread of data, thoughts, and impact among its individuals. Models for the cycles by which thoughts and impact proliferate through an informal organization have been concentrated in various do-mains, including the dissemination of clinical and mechanical developments, the unexpected and inescapable selection of different techniques in game-hypothetical settings, and the impacts of verbal exchange i.e. viral publicizing methodologies in the progression of new things or posts like how much most lucky today or what does your name inferred or post which communicates the giving you ipad in lesser prize or giving them free instances of the thing, etc

We have developed a Social Media Site such as Face book. Users will able to post large number of posts on their wall. In the event that there is post which makes brutality or post which is hurtful (Malicious) the client can discover the proprietor of the post for that we have utilized Greedy methodology calculation. After that we have given alternative to surveys for all posts where client can put audits for that post and utilizing that surveys our framework will recognize the post is negative or positive. If the particular is having large number of negative reviews then our system will show popup message as alert message to the user. We are proposing a system that detects malicious post on Social media. Implementing web based social media platform. Investigating the Influential Node Tracking (INT) issue as an expansion to the customary Influence Maximization issue (IM) on social media.tect noxious posts via online media.

## III. PROPOSED SYSTEM

In proposed work as a matter of first importance we are going to built up a Social Media Site like Facebook. What's more, we will post huge number of posts. On the off chance that there is post which makes brutality or post which is hurtful (Malicious) the we need to discover proprietor of that post So, For Finding the Owner of Post or add we will utilize Greedy Approach Algorithm. After that we will Categorized the post by sure and negative post for example rating of such posts the framework investigations the that items sway via online media clients and predicts the positive or negative classification for that posts which is advantageous for future clients via web-based media.




Fig. 1 Proposed Architecture

In the event that there is Large Number of negative Comments for specific Post or add then our framework will Identify that post is malevolent then our framework will produce ready directive for that specific post and System will impede that post.

#### IV. CONCLUSIONS

The advances in digital and multimedia technology are significantly impacting human Behaviors and social interactions. The fundamental thought of our worldwide examination project is to build up a programmed framework for recognizing dubious profiles in the social media. Through which we can uncover suspicious behavior and interests of users as well. The purpose of our approach is to decompose each post in terms and compare then automatically to predefined suspicious terms database by using similarity distance calculation.

## REFERENCES

- [1] Guojie Song, Yuanhao Li, Xiaodong Chen, and Xinran He, “Influential Node Tracking on Dynamic Social Network: An Interchange Greedy Approach”, IEEE Transactions on Knowledge and Data Engineering, 2017.
- [2] HongyuGao, Jun hu, Chirsto Wilson, ZhichunLi , YanChen , Ben Y Zhao , “Detecting and Characterizing Social SpamCampaigns”,<https://sites.cs.ucsb.edu/~ravenben/publications/pdf/fbspam-ime10.pdf>
- [3] Potlapalli Pavan Kumar , V S S Reddy, K Rakesh, “An Enhanced Algorithm for Detecting Malicious Social networking Applications”, ISSN-2321-0257, IJDCST @ Nov,-2016, Issue- V-4, I-7, SW-09.
- [4] App piggybacking example.31TU [https://apps.facebook.com/mypagekeeper/U31T?status=scam\\_report\\_fb\\_survey\\_scam\\_Converse\\_shoes\\_2012\\_05\\_17\\_boQ](https://apps.facebook.com/mypagekeeper/U31T?status=scam_report_fb_survey_scam_Converse_shoes_2012_05_17_boQ).
- [5] Pring, “100 social media statistics for 2012,” 2012 [Online]. Available: <http://thesocialskinny.com/100-social-media-statisticsfor-2012/>
- [6] K. Jung, W. Heo, and W. Chen, “Irie: Scalable and robust influence maximization in social networks,” in ICDM, 2012, pp. 918–923.
- [7] G. Brown, T. Howe, M. Ihbe, A. Prakash, and K. Borders. Social networks and context-aware spam. In ACM CSCW, 2008.